How to install NetBeans in Windows

Version 1.4 (Feb 10, 2021)

Note: Don't run the NetBeans installer before installing Java and/or Cygwin.

- 1. Download java version SE 13 jdk:
 - a. Link: <u>https://www.oracle.com/java/technologies/javase/jdk13-archive-downloads.html</u>
 - i. You can search java version 13 jdk if link does not work
 - b. Select the Windows x64 Installer Image (scroll down the page to reach spot):

	Q	Products	Resources	Support	Events	Developer
Java SE Development Kit 13.0.2 This software is licensed under the Oracle Technology Network Lice	ense A	greement for	Oracle Java SE			
Product / File Description	F	ile Size				Download
Linux Debian Package	15	55.72 MB				, jdk-13.0.2_linux-x64_bin.deb
Linux RPM Package	10	52.66 MB				yidk-13.0.2_linux-x64_bin.rpm
Linux Compressed Archive	1	79.41 MB				ydk-13.0.2_linux-x64_bin.tar.gz
macOS Installer	1	73.3 MB				↓ jdk-13.0.2_osx-x64_bin.dmg
macOS Compressed Archive	1	73.7 MB				↓ jdk-13.0.2_osx-x64_bin.tar.gz
Windows x64 Installer	15	59.83 MB				, jdk-13.0.2_windows-x64_bin.exe
Windows x64 Compressed Archive	1	78.99 MB				, jdk-13.0.2_windows-x64_bin.zip

c. Follow installation steps and leave default setting from installer as they are.

- 2. Download Cygwin (64-bit version) and run executable:
 - a. Link: <u>https://www.cygwin.com/</u>

a.

b. Image (scroll down the page to reach spot):

	Cygwin version
	The most recent version of the Cygwin DLL is <u>3.1.4</u> .
5	Installing Cygwin
I	Install Cygwin by running setup-x86_64.exe
	Use the setup program to perform a fresh install or to update an existing installation.
	Keep in mind that individual packages in the distribution are updated separately from the DLL so the Cygwin DLL version is not useful as a general Cygwin distribution release number.
	Support for Cygwin
	For all Currents related questions and observations, places shealt the resources available at this site, such as the EAO, the User's Guide and the resultions

3. Run Cygwin setup-x86_64.exe and press next for the next few steps until you reach list of packages. leave default setting from installer

🗲 Cygwin Setup	- 🗆 ×
	Cygwin Net Release Setup Program
	This setup program is used for the initial installation of the Cygwin environment as well as all subsequent updates. Make sure to remember where you saved it.
	The pages that follow will guide you through the installation. Please note that Cygwin consists of a large number of packages spanning a wide variety of purposes. We only install a base set of packages by default. You can always run this program at any time in the future to add, remove, or upgrade packages as necessary.
	Setup version 2.903 (64 bit)
	Copyright 2000-2020
	https://cyqwin.com/
	< Back Next > Cancel

E Cygwin Setup - Choose Installation Type	_		×
Choose A Download Source Choose whether to install or download from the internet, or install from files in a local directory.		l	
 Install from Internet (downloaded files will be kept for future re-use) 			
O Download Without Installing			
O Install from Local Directory			
< Back Next	>	Can	cel

r	•		
L			
-	•	•	

b.

Select Root Inst Select the dire	tall Directory ctory where you want to i ameters.	install Cygwin. Also choose	e a few	1	>
Root Directory					
C:\cygwin64				Browse	
Install For					
All Users (REC	COMMENDED)				
Cygwin will be	e available to all users of	the system.			
O Just Me	ill be available to all users	s but Deskton Icons, Cvaw	vin Menu Entries a	and importa	ant
Installer infom Administrator	nation are only available i privileges or if you have	to the current user. Only se specific needs.	elect this if you lac	k	

d.

E Cygwin Setup - Select Local Package Directory -		×
Select Local Package Directory Select a directory where you want Setup to store the installation files it downloads. The directory will be created if it does not already exist.		
Local Package Directory C:\Users\Ghi\Documents\Cygiwin	Browse.	
< Back Next >	Can	cel

Cygwin Setup - Select Connection Type	-		×
Select Your Internet Connection Setup needs to know how you want it to connect to the internet. Choose the appropriate settings below.		1	
Use System Proxy Settings			
O Direct Connection			
O Use HTTP/FTP Proxy:			
Proxy Host			
Port 80			
< Back Ne	ext >	Can	icel

f. Choose any mirror links, it does not matter

e.

E Cygwin Setup - Choose Downloa	d Site(s)			—		\times
Choose A Download Site Choose a site from this list, or add	your own sites to th	e list			l	
Available Download	Sites:					
Inttp://cygwin.mimo http://cygwin.mimo http://mimors.koehi http://mimors.meta http://mimor.team- ftp://mimors.xmissi http://mimor.clarkse http://mimor.clarkse http://mimor.kodo http://mimor.hk.koe ftp://mimors.hk.koe	Constant.com rs.hoobly.com n.com wmru.com ymru.com n.com ion.com yn.edu du s.net ldos.net et		~			
User URL:				Add		
		< Back	Next	>	Can	icel

- 4. Currently the page should be list of packages. Make sure that from the top left drop-down menu for view that full is selected
 - a. In the search box enter **gcc**. From the package column find **gcc-core** and **gcc-g++**. For each package under the column New, click the drop-down arrow button and select the highest non-test version in the list

ew Full V Search gcc	Clear							🔾 Кеер	Be
Package	Current	New		Src?	Categories	Size	Description		
colorgcc		Skip	-		Devel, Perl	14k	Colorizer for GCC warning/error messages		
cygwin32-gcc-core		Skip	-		Devel	16,464k	GCC for Cygwin 32bit toolchain (C, OpenMP)		
cygwin32-gcc-debuginfo		Skip	-		Debug	127,029k	Debug info for cygwin32-gcc		
cygwin32-gcc-fortran		Skip	-		Devel	7,014k	GCC for Cygwin 32bit toolchain (Fortran)		
cygwin32-gcc-g++		Skip	-	\square	Devel	10,456k	GCC for Cygwin 32bit toolchain (C++)		
djgpp-gcc-ada		Skip	-		Devel	13,501k	GCC for DJGPP toolchain (Ada)		
djgpp-gcc-core		Skip	-	\square	Devel	7,926k	GCC for DJGPP toolchain (C)		
djgpp-gcc-debuginfo		Skip	-	\square	Debug	169,469k	Debug info for djgpp-gcc		
djgpp-gcc-fortran		Skip	-		Devel	6,296k	GCC for DJGPP toolchain (Fortran)		
djgpp-gcc-g++		Skip	1	\square	Devel	8,279k	GCC for DJGPP toolchain (C++)		
digpp-gcc-objc		Skip			Devel	5,087k	GCC for DJGPP toolchain (Objective-C)		
digpp-gcc-objc++		Skip	v		Devel	5,349k	GCC for DJGPP toolchain (Objective-C++)		
gcc-core	7.4.0-1	9.3.0-1	-		Devel	20,500k	GNU Compiler Collection (C, OpenMP)		
acc-debuginfo		Skip	-		Debug	21,356k	Debug info for gcc		
gcc-fortran		Skip	-		Devel	9,344k	GNU Compiler Collection (Fortran)		
gcc-g++	7.4.0-1	9.3.0-1	-	П	Devel	16,257k	GNU Compiler Collection (C++)		
gcc-objc		Skip	-		Devel	6,750k	GNU Compiler Collection (Objective-C)		
gcc-objc++		Skip	-		Devel	7.029k	GNU Compiler Collection (Objective-C++)		
gcc-tools-epoch1-autoconf		Skip	-		Devel	425k	(gcc-special) automatic configure script builder		
gcc-tools-epoch1-automake		Skip	-		Devel	419k	(gcc-special) a tool for generating GNU-compliant Makefiles		
acc-tools-epoch2-autoconf		Skip	-	\square	Devel	712k	(gcc-special) automatic configure script builder		
gcc-tools-epoch2-automake		Skip	-		Devel	589k	(gcc-special) a tool for generating GNU-compliant Makefiles		
accmakedep		Skip	-	\square	Devel	6k	X Makefile dependency tool for GCC		
libgcc1	7.4.0-1	9.3.0-1	-	Π	Libs	28k	GCC C runtime library		
ibgccpp1		Skip	-		Libs	3k	Boehm-Demers-Weiser garbage collector library		
mingw64-i686-gcc-core		Skip	-		Devel	16,851k	GCC for Win32 (i686-w64-mingw32) toolchain (C, OpenMP)		
mingw64-i686-gcc-debuginfo		Skip	-		Debug	282,991k	Debug info for mingw64i686-gcc		
mingw64-i686-gcc-fortran		Skip	-	\square	Devel	9.083k	GCC for Win32 (i686-w64-mingw32) toolchain (Fortran)		
mingw64+686-gcc-g++		Skip	-		Devel	14,358k	GCC for Win32 (i686-w64-mingw32) toolchain (C++)		
				_					

b. In the search box enter **gdb** and find package name **gdb** and select highest non-test version under column New

E Cygwin Setup - Select Packages									
Select Packages Select packages to install									
View Full ~ Search gdb	Clear							🔾 Кеер	Best
Package	Current	New	Sn	rc?	Categories	Size	Description		
cgdb		Skip	·Γ		Devel	633k	A curses-based interface to the GNU Debugger (GDB)		
cgdb-debuginfo		Skip	·Γ		Debug	334k	Debug info for cgdb		
gdb		8.2.1-1			Devel	3.024k	The GNU Debugger		
gdb-debuginfo		Skip			Debug	26,809k	Debug info for gdb		
gdbm		Skip	ΙE		Database	161k	GNU dbm implementation		
gdbm-debuginfo		Skip			Debug	289k	Debug info for gdbm		
libgdbm-devel		Skip	ΙC		Libs	14k	GNU dbm implementation		
libgdbm4	1.12-1	1.13-1	1 🗆		Libs	20k	GNU dbm implementation		
libgdbm6		Skip			Libs	22k	GNU dbm implementation		
libgdbm_compat4		Skip	·Γ		Libs	4k	GNU dbm implementation		
mingw64-i686-gdbm		Skip			Devel	56k	GNU dbm implementation for Win32 toolchain		
mingw64-x86_64-gdbm		Skip	·Γ		Devel	57k	GNU dbm implementation for Win64 toolchain		

c. In the search box enter **make** and find package **make** and under the column New select highest non-test version

Ciedi							○ Keep	• Be
Current	New		Src?	Categories	Size	Description		
	Skip	•		Devel	1,502k	Cross-platform makefile generation system (GUI)		
	Skip	*		Editors	4k	Cross-platform makefile generation system (Emacs mode)		
	Skip	•		Devel	281k	Extra CMake Modules for KDE		
	Skip	*		Devel	419k	(gcc-special) a tool for generating GNU-compliant Makefiles		
	Skip	•		Devel	589k	(gcc-special) a tool for generating GNU-compliant Makefiles		
	Skip	*		Devel	6k	X Makefile dependency tool for GCC		
	Skip	•		Devel	35k	X Imake legacy build system		
	Skip	•		Debug	64k	Debug info for imake		
	Skip	*		Libs	3k	Window Maker interface library (development)		
	Skip	•		Libs	4k	Window Maker interface library (runtime)		
	Skip	*		Graphics	5k	MS Publisher file converters		
	Skip	•		Debug	591k	Debug info for libpagemaker0.0		
	Skip	*		Libs	2k	Adobe PageMaker import filter library (development)		
	Skip	•		Libs	109k	Adobe PageMaker import filter library (API documentation)		
	Skip	•		Libs	65k	Adobe PageMaker import filter library (runtime)		
4.2.1-1	4.3-1	•		Devel	503k	The GNU version of the 'make' utility		
	Skip	•		Debug	441k	Debug info for make		
	Skip	*		Devel	29k	X Makefile dependency tool		
	Skip	•		Debug	75k	Debug info for makedepend		
	Skip	•		Perl, Utils	14k	Generate and encrypt passwords		
	Skip	-		Archive	23k	Utility to generate self-extractable archives		
	Skip	•		Libs	76k	Adobe PageMaker import filter library for Win32 toolchain		
	Skip	*		Devel	7,326k	Qt4 development tools for Win32 toolchain		
	Skip	•		Debug	79,179k	Debug info for mingw64i686-qt4-qmake		
	Skip	•		Libs	74k	Adobe PageMaker import filter library for Win64 toolchain		
	Skip	*		Devel	7,330k	Qt4 development tools for Win64 toolchain		
	Skip	•		Debug	79,182k	Debug info for mingw64-x86_64-qt4-qmake		
	Skip	-		Perl	279k	Perl distribution ExtUtils-MakeMaker		
	C1 1			David	o.,	Consistence antimized DAECA from Duble Cutto List		
	4.2.1-1	Current New Skip Skip Skip<	Current New Skip • Skip •	Current New Sc? Skip ▼ Skip ▼ Skip ▼ Skip ■ Skip	Current New Sc2 Categories Skip ■ Devel Schop ■ Devel Skip ■ Devel Schop ■ Debug Skip ■ Libs Schop ■ Libs Skip ■ Libs Debug Schop ■ Debug Skip ■ Debug Schop ■ Debug Skip ■ Debug Schop ■ Debug Skip ■ Devel Schop ■ Debug<	Current New Src? Categories Size Skip ■ Devel 1.502k Skip ■ Editors 4k Skip ■ Devel 1.502k Skip ■ Devel 281k Skip ■ Devel 281k Skip ■ Devel 481k Skip ■ Devel 381k Skip ■ Debug 644 Skip ■ Debug 591k Skip ■ Debug 591k Skip ■ Debug 591k Skip ■ Debug 441k Skip ■ Debug 791k	Current New Sc? Categories Size Desciption Skp • Devel 1.502x Cossplatform makefle generation system (GU) Skp • Editors 4x Crossplatform makefle generation system (GU) Skp • Devel 211x Cossplatform makefle generation system (GU) Skp • Devel 211x Extra (Make Modules for KDE Skp • Devel 411x (gcc-special) a tool for generating GNU-complant Makeflee Skp • Devel 64x Makefle dependency tool for GCC Skp • Devel 64x Makefle dependency tool for GCC Skp • Devel 54x Window Maker interface litrary (development) Skp • Debug 64x Debug for for makefle Skp • Debug 53x Window Maker interface litrary (development) Skp • Debug 53x Makefle dependency tool for GCC Skp • Debug 53x Makefle dependency to	Current New Src? Categories Size Description Skip

 Click next after selecting all 4 packages, next page should be a list of packages that will be installing (Mine is different because some of those packages are already installed). After seeing the list click next and download should start. Next step will take a while

E Cygwin Setup - Review and confirm changes	_		×
Review and confirm changes		(
Uninstall binutils 2.29-1 (automatically added) Uninstall bzip2 1.0.6-3 (automatically added) Uninstall ca-certificates 2.30-1 (automatically added) Uninstall cygwin 3.0.7-1 (automatically added) Uninstall cygwin-devel 3.0.7-1 (automatically added) Uninstall gcc-core 7.4.0-1 (automatically added) Uninstall gcc-g++ 7.4.0-1 (automatically added) Uninstall info 6.6-1 (automatically added) Uninstall less 530-1 (automatically added) Uninstall less 530-1 (automatically added) Uninstall libatomic1 7.4.0-1 (automatically added) Uninstall libatomic1 7.4.0-1 (automatically added) Uninstall libatomic1 7.4.0-1 (automatically added) Uninstall libcurl4 7.65.0-1 (automatically added)		>	^
< Back	Vext >	Can	cel

- e. After installation is complete, click finish or done to exit installer
- 5. Download NetBeans 12 LTS (released June 2020)
 - a. Link: <u>https://netbeans.apache.org/download/</u> (Link should work, if not search "Download NetBeans 12 LTS")
 Click the 'Download' button for NetBeans 12 LTS (NB 12.0)



b. In the page, make sure to download the Windows 64-bit version of NetBeans:

Ø	Apache NetBeans	Community	Participate	Blog	Get Hel	p P
	Downloading Apache	e NetBean	is 12.0			
	Apache NetBeans 12.0 was released on June 4, 2020 of features.). See Apache NetBeans	12.0 Features f	or a full l	ist	Deploy
	Apache NetBeans 12.0 is available for download from	m vour closest Apache r	nirror.			Comm
	Binaries: netbeans-12.0-bin.zip (SHA-512, PGP AS)	C)				Known
	 Source: netbeans-12.0-source.zip (SHA-512, PGP) 	ASC)				Earlier
	Installers:	,				
	• Apache-NetBeans-12.0-bin-windows-x64.exe (S	SHA-512, PGP ASC)				
	• Apache-NetBeans-12.0-bin-linux-x64.sh (SHA-5	512, PGP ASC)				
	Apache-NetBeans-12.0-bin-macosx.dmg (SHA-	512, PGP ASC)				
	 Javadoc for this release is available at https://bits. 	.netbeans.org/12.0/java	doc			
	Officially, it is important that you verify the integrity files). The PGP signatures should be matched agains	of the downloaded files at the KEYS file which co	using the PGP ntains the PGP	signature keys usee	es (.asc file d to sign t	e) or a h his rele
	Apache NetBeans can also be installed as a self-cont	tained snap package on	Linux.			
	Deployment platforms					
	Apache NetBeans 12.0 runs on the JDK LTS releases	8 and 11, as well as on J	DK 14, i.e., the	current J	DK releas	e at the

c. Go to your **Downloads** folder and run the NetBeans installer (**Apache-NetBeans-12.0bin-windows-x64.exe**). Follow the steps without changing any of the default setting by clicking **next**:

Apache NetBeans IDE Inst	aller	_		×
	Welcome to the Apache NetBear	is IDE 12.0 Ins	staller	
	The installer will install the NetBeans IDE with the Click Customize to select the packs and runtime	he following packs an es to install.	id runtime	s.
č	Base IDE Java SE Java EE HTML5/JavaScript PHP			
Apache NetBeans IDE	Customize	Installation	Size: 690).3 MB
		Next >	Can	cel
1				
🗘 Apache NetBeans IDE Inst	aller	_		×
License Agreement Please read the following licer	ise agreement carefully.		_{che} tBeans	IDE
APACHE NETBEANS IDE DEVEL LICENSE AGREEMENT	OPMENT VERSION ("Product")			^
PLEASE READ THE FOLLOWING CONDITIONS CAREFULLY, INC DISPLAYED ELSEWHERE (AS IT BEFORE USING THE SOFTWARE CONSTITUTE A LEGAL AGREEN WHICH YOU ARE AN AUTHORITY AUTHORITY TO ENTER INTO T CLICKING "ACCEPT" OR THE E THE TERMS AND CONDITIONS DO NOT AGREE TO THIS LICE! THE EQUIVALENT AND DO NOT	S LICENSE AGREEMENT TERMS AND LUDING WITHOUT LIMITATION THOSE IDICATED BY LINKS LISTED BELOW), E. THESE TERMS AND CONDITIONS IENT BETWEEN YOU, OR THE ENTITY FOR ZED REPRESENTATIVE WITH FULL HIS AGREEMENT, AND APACHE. BY QUIVALENT YOU AGREE TO ALL OF OF THIS LICENSE AGREEMENT. IF YOU ISE DO NOT CLICK "ACCEPT" OR I INSTALL OR USE THIS SOFTWARE.			
Apache Li Version 2.0, J http://www.apa	zense anuary 2004 ache.org/licenses/			
TERMS AND CONDITIONS FO	OR USE, REPRODUCTION, AND DISTRIBUTION			¥
I accept the terms in the lic	ense agreement			
	< Ba	ock Next >	Can	icel

d.

e.

 Apache NetBeans IDE Installer Apache NetBeans IDE 12.0 Installation Choose the installation folder and JDK™. Install the Apache NetBeans IDE to: C:\Program Files\VetBeans-12.0 Brow JDK™ for the Apache NetBeans IDE: C:\Program Files\Vava\vdk-13.0.2 Brow 							
Apache NetBeans IDE 12.0 Installation Choose the installation folder and JDK™. Install the Apache NetBeans IDE to: [c:\Program Files\VetBeans-12.0] Brow JDK™ for the Apache NetBeans IDE: [c:\Program Files\Vava\vdk-13.0.2 Image: Comparison of the Apache NetBeans IDE: [c:\Program Files\Vava\vdk-13.0.2] Image: Comparison of the Apache NetBeans IDE: [c:\Program Files\Vava\vdk-13.0.2]	×		_		nstaller	ache NetBeans IDE li	🛈 Apache
Install the Apache NetBeans IDE to: C:\Program Files\VetBeans-12.0 Brow JDK TM for the Apache NetBeans IDE: C:\Program Files\Java\tdk-13.0.2 V Brow	SIDE	tBeans	Apact Net		.0 Installation der and JDK™.	ne NetBeans IDE 12. ose the installation fold	Apache Ne Choose th
C:\Program Files\NetBeans-12.0 Brow JDK™ for the Apache NetBeans IDE: C:\Program Files\Java\jdk-13.0.2 ∨ Brow					IDE to:	the Apache NetBeans	Install the A
JDK™ for the Apache NetBeans IDE: C:\Program Files\Java\jdk-13.0.2 ✓ Brow	/se	Browse			12.0	gram Files WetBeans-:	C:\Program
C:\Program Files\Java\jdk-13.0.2 v					ans IDE:	for the Apache NetBea	JDK™ for th
	/se	Browse	~		3.0.2	gram Files\Java\jdk-1	C:\Program
< Back Next > Ca	ancel	Can	Next >	< Back			

Make sure that under JDK for the NetBeans IDE to select Java version 13 from drop down menu.

•
•

🗘 Apache NetBeans IDE Installer	-		×
Summary	Apach	Beans	IDE
Click Install to start the installation.			
Base IDE Installation Folder: C:\Program Files\WetBeans-12.0			
Check for Updates			
The NetBeans installer can automatically check for updates of installed plugins using your Internet connection.			
Total Installation Size:			
690.3 MB			
< Back	Install	Can	cel

Click install

Installation may take a while. After its done click **finish** or **done**, and run and test NetBeans to see if it works.

- 6. Install plugin to compile C/C++ projects
 - a. Go to Tools -> Plugins
 - b. Click on settings tab and make sure that NetBeans 8.2 Plugin Portal is selected

Q Plugins	×
Updates (1) Available Plugins (47) Downloaded Installed (11) Settings	
Configuration of Update Centers:	
Active Name	NetBeans 8.2 Plugin Portal Edit Remove
VetBears o.2. Pugn Portal NetBeans Distribution WhetBeans Plugin Portal Third Party Libraries	Last Check: 2/10/21, 6:56 PM URL: http://updates.netbeans.org/netbeans/updates/8.2/uc/final/distribution/catalog.xml.gz
Automatically Check for Lindates	< >>
Check Interval: Every Week	✓ Proxy Settings
Advanced Plugin Install Location: Default	
	Close Help

c. If NetBeans 8.2 Plugin Portal is not available, click add button to include the repositoryi. You can use the URL below when adding the update center:

http://updates.netbeans.org/netbeans/updates/8.2/uc/final/distribution/catalog.xml.gz

🚺 Upo	late Center Customizer	×
Name:	NetBeans 8.2 Plugin Portal	
URL:	http://updates.netbeans.org/netbeans/updates/8.2/uc/final/distribution/catalog.xml.gz	
🔇 Upd	Trust update center fully and allow automatic installations ate Center with the same name already exist	
	OK Cancel	

Figure 1If you already have the Plugin Portal installed or using the same link, the message will appear

d. Click on available Plugins tab, select C/C++, then click install

i. If the option is not in the list, click Check for Newest

Check	t for Newest				Search:
install	Name	Category	Source		
	Backlog Support	Base IDE	-	^	Cicil
	GitHub Issues Support	Base IDE	-		Cartified Plugin
	C/C++	C/C++	Q		
	jVi for NB Update Center	com.raelity.jvi	କିଳି		Version: 1.30.6.1
	TagMyCode	com.tagmycode	କିଳି		Date: 5/19/17
	NetBeans Case Converter	Editing	-		Source: NetBeans 8.2 Plugin Portal
	Color Codes Preview	Editing	<u>-</u>		Homepage: http://www.netbeans.org/
	nb-noext-mime-resolver	Editing	<u>-</u>		
	Change Line Endings on Save	Editing	-		Plugin Description
	Editor :: Autosave	Editing			C/C +
	Rainbow Braces	Editing	<u>-</u>		support for Fortrap and Assembler (v86/64_SPARC)
	No Newline Resolver	Editing			support for Ford an and Assembler (X00/04, SFARC)
	External Code Formatters	Editing			
	NB Figletize	Editing			
	textlint Support	Editing			
	NB SpringBoot	Frameworks	<u>-</u>		
	nb-sonarlint	io.github.hmvictor	<u>.</u>		
Ц	Perforce	io.github.tristanjl	W		
	nb-externalcommands	io.github.tristanjl			
	sonarlint4netbeans	Java	4342	~	

e. Click next, accept the license agreement then click install

🗘 NetBeans IDE Installer	×
Welcome to the NetBeans IDE Plugin Installer The installer will download, verify and then install the selected plugins.	
The following plugins will be installed:	
C/C++ [1.30.6.1]	
< Back Next > Cancel	Help

NetBeans IDE Installer	×
License Agreement Please read all of the following license agreements carefully.	
In order to continue with the installation, you need to agree with all of the license agreemen associated with the particular plugins.	ts
Plugins: Remote Git [1.2.11.1.1]	\sim
This module is part of NetBeans and is open-source.	^
LICENSE: The Common Development and Distribution License (CDDL), Version 1.0 or the GNU General Public License (GPL) with "CLASSPATH" EXCEPTION govern your use of: NetBeans software. NetBeans software also makes use of additional libraries made available for use and distribution by other parties, including open-source projects.	
LICENSE:	v
☐ I accept the terms in all of the license agreements.	
< Back Install Cancel	Help

Figure 2Accept license agreement then click install

🚺 Verif	ý Certificate	×
	67 plugins out of 67 require your attention and confirmation Third-party Plugins Self signed and Valid (0) Unsigned (0) Modified/Damaged (0)	n before installing.
	Warning: Installing untrusted plugins is potentially insecure. your own risk.	Use unsigned or untrusted plugins at
Sho	ow details	Continue Cancel

Figure 3Click continue

g. Click finish and restart NetBeans

🔍 NetBeans IDE Installer	×
Installation completed unsuccessfully Click Finish to quit the NetBeans IDE installer and try to restart IDE.	
The Plugin Installer found problem timeout of loading C/C++ Remote Develo API[org.netbeans.modules.cnd.api.remote/1.29.5.1] while install the follow	opment ving plugins:
C/C++	
	Finish Help

h. You should see C/C++ as an option to make new projects

🔘 New Project		×
Steps	Choose Project	
1. Choose Project 2	Q Filter:	
	Categories: Java with Maven Java with Gradle Java with Ant JavaFX JavaFX JavaFX Java Web Java Enterprise NetBeans Modules HTMLS/JavaScript HTMLS/JavaScript PHP Job C/C++ TMLS/JavaScript JavaFX	Projects: C/C++ Project with Existing Sources C/C++ Project from Binary Files C/C++ Application C/C++ Dynamic Library C/C++ Static Library C/C++ Qt Application C/C++ Qt Dynamic Library C/C++ Qt Static Library
	Description: Creates a new application project. It uses	an IDE-generated makefile to build your project.
	< Back	Next > Finish Cancel Help